

Magno Jack

German EcoTec



Handcart with patented Magnetism



Handling is easy and safe



Activating the Magnets



Deactivating the Magnets



Variations



MannoJack Basic
Basic Model



MannoJack Comfort
Easy Handling because of four Tires



MannoStack
Stacking with electric Motor



Facts

- ➔ Carrying capacity per magnet: 260 kg
- ➔ Number of magnets: 4 units
- ➔ Stable frame made out of steel
- ➔ Tires made out of hard rubber
- ➔ Technical Inspection Agency-Certificate valid for whole Europe



MagnoJack Basic

- Basic model guarantees a safe and efficient transport
- Maximum permissible carrying load: 150 kg (up to 225 kg possible)
- 2 tires
- Measures: D: 390 mm, W: 590 mm, H: 1180 mm



MagnoJack Comfort

- Especially suitable for bigger loads
- Measures: D: 1200 mm, W: 550 mm, H: 1400 mm
- Long "back"
- Can be operated with one hand
- Manoeuvrable due to 2 extra flexible rolls
- Maximum permissible carrying load: 150 kg (up to 225 kg possible)



MagnoStack

- Strong electric motor
- Maximum permissable carrying load: 120 kg
- Maximum height of cargo: 2,00 m
- Maximum height of stacking: 2 x 0,85 m
- Four tires
- Measures: W: 530, H: 1500, D: 1200 mm



Perfectly for “White Goods”

- Washing machines
- Fridges
- Stove
- Coolers
- Metal-boxes







Perfectly for "White Goods"



Perfectly for “White Goods”




MagnoStack Stacking in Containers



Stacking

A = max. 920 mm
B = max. 2400 mm
C = max. 1600 mm



Your Advantage



- ➔ Efficiency: One-man-handling, saving of time
- ➔ Security: Magnets fix the goods
- ➔ Transport: Saving of transport costs



German EcoTec GmbH

Contact

Dr. Alexander Rochlitz

German EcoTec GmbH

Neuenkampsweg 4

25337 Elmshorn

Germany

Tel: +49 4121-57898 90

info@german-ecotec.com

www.german-ecotec.com

